


## 推力圆柱滚子轴承



外型尺寸 (mm)			额定负荷 (KN)		极限转速 (r/min)*	重量 (Kg)	轴承代号	
d	D	H	Ca	Coa			STON	INA
15	28	9	14.4	28.5	11000	0.024	81102	81102
17	30	9	15.9	33.5	10000	0.027	81103	81103
20	35	10	24.9	53	8500	0.037	81104	81104
25	42	11	33.5	76	7000	0.053	81105	81105
30	47	11	35.5	86	6000	0.057	81106	81106
30	52	16	64	141	6000	0.123	81206	81206
30	60	18	69	197	5000	0.24	89306	89306
35	52	12	39	101	5500	0.073	81107	81107
35	62	18	80	199	4900	0.195	81207	81207
35	68	20	80	237	4600	0.34	89307	89307
40	60	13	56	148	4800	0.105	81108	81108
40	68	19	107	265	4400	0.249	81208	81208
40	78	22	122	385	4000	0.484	89308	89308
40	90	23	135	480	3600	0.747	87409	87408
45	65	14	59	163	4400	0.13	81109	81109
45	73	20	105	265	4000	0.287	81209	81209
45	85	24	139	445	3600	0.615	89309	89309
45	100	25	154	560	3200	1.054	87409	87409
50	70	14	61	177	4000	0.14	81110	81110
50	78	22	117	315	3700	0.356	81210	81210
50	95	27	167	560	3200	0.887	89310	89310
50	110	27	200	740	2900	1.316	87410	87410
50	110	36	295	900	3000	1.316	89410	89410
50	110	31	295	900	3000	1.125	89410	89410
55	78	16	90	300	3600	0.218	81111	81111
55	90	25	154	405	3300	0.568	81211	81211
55	105	30	184	600	2900	1.18	89311	89311
55	120	29	222	870	2600	1.698	87411	87411

60	85	17	103	315	3300	0.266	81112	81112
60	95	26	172	480	3100	0.642	87212	81212
60	110	30	196	670	2700	1.26	89312	89312
60	130	32	260	1000	2500	2.26	87412	87412
60	130	42	390	1220	2500	2.818	89412	89412
65	90	18	107	340	3100	0.31	81113	81113
65	100	27	177	500	2900	0.721	81213	81213
65	115	30	194	670	2600	1.33	89313	89313
65	140	45	445	1410	2300	3.52	89413	89413
65	140	34	300	1140	2300	2.75	87413	87413
70	95	18	111	365	2900	0.332	81114	81114
70	105	27	187	550	2700	0.768	81214	81214
70	125	34	239	830	2400	1.82	89314	89314
70	150	36	360	1380	2200	3.37	87414	87414
70	150	48	450	1390	2100	4.38	89414	89414
75	100	19	105	340	2700	0.393	81115	81115
75	110	27	172	500	2600	0.8	81215	81215
75	135	36	285	1010	2200	2.23	89315	89315
75	160	38	430	1660	2000	4.02	87415	87415
75	160	51	500	1580	2000	5.25	89415	89415
80	105	19	106	350	2600	0.4	81116	81116
80	115	28	201	630	2400	0.9	81216	81216
80	140	36	305	1110	2100	2.37	89316	89316
80	170	41	450	1810	1900	5.32	87416	87416
80	170	54	560	1770	190	6.41	89416	89416
85	110	19	112	385	2500	0.42	81117	81117
85	125	31	217	660	2300	1.26	81217	81217
85	150	39	325	1140	2000	3	89317	89317
85	180	42	485	1920	1800	5.53	87417	87417
85	180	58	620	1980	1800	7.55	89417	89417
90	120	22	141	465	2300	0.62	81118	81118
90	135	35	290	890	2100	1.77	81218	81218
90	155	39	330	1200	1900	3.28	89318	89318
90	190	45	510	2090	1700	6.65	87418	87418
90	190	60	680	2200	1700	8.77	89418	89418
100	135	25	199	650	2000	0.95	81120	81120
100	150	38	285	840	1900	2.2	81220	81220
100	170	42	380	1400	1700	4.19	89320	89320
100	210	50	680	2800	1500	9.02	87420	87420
100	210	67	850	2350	1500	11.9	89420	89420
110	145	25	195	650	1900	1.095	81122	81122
110	160	38	300	940	1800	2.445	81222	81222
110	190	48	500	1870	1600	6.03	89322	89322
110	230	73	1000	3400	1400	15.6	89422	89422
120	155	25	203	700	1700	1.17	81124	81124
120	170	39	310	980	1700	2.69	81224	81224
120	210	54	640	2420	1400	8.52	89324	89324

120	250	78	1160	4000	1300	19.7	89424	89424
130	170	30	233	810	1600	1.7	81126	81126
130	190	45	425	1290	1500	4.204	81226	81226
130	225	58	710	2700	1300	10	89326	89326
130	270	85	1330	4600	1200	24	89426	89426
140	180	31	242	870	1500	1.946	81128	81128
140	200	46	445	1450	1400	4.567	81228	81228
140	240	60	820	3200	1200	11.99	89328	89328
140	280	85	1380	4950	1100	27.2	89428	89428
150	190	31	250	930	1400	2.066	81130	81130
150	215	50	590	1940	1300	5.886	81230	81230
150	250	60	840	3350	1200	12.63	89330	89330
150	300	90	1570	5700	1000	32.1	89430	89430
160	200	31	260	990	1300	2.189	81132	81132
160	225	51	600	2030	1200	6.203	81232	81232
160	320	95	1780	6500	950	38.2	89432	89432
170	215	34	325	1220	1200	2.95	81134	81134
170	240	55	680	2340	1100	7.69	81234	81234
170	340	103	1990	7400	900	47.2	89434	89434
180	225	34	340	1300	1200	3.04	81136	81136
180	250	56	690	2440	1100	8.24	81236	81236
180	360	109	2210	8200	850	54.8	89436	89436
190	240	37	385	1500	1100	3.84	81138	81138
190	270	62	880	3000	1000	10.4	81238	81238
190	380	115	2450	9200	800	65.7	89438	89438
200	250	37	395	1550	1100	4	81140	81140
200	280	62	900	3150	1000	11.91	81240	81240
200	400	122	2700	10200	750	74.8	89440	89440
220	270	37	420	1730	1000	4.5	81144	81144
220	300	63	940	3450	900	12.85	81244	81244
220	420	122	2900	11500	750	82	89444	89444
240	300	45	600	2500	900	7.25	81148	81148
240	340	78	1370	5000	800	21.95	81248	81248
240	440	122	3000	12200	700	87.8	89448	89448
260	320	45	620	2650	800	7.83	81152	81152
260	360	79	1440	5400	750	23.9	81252	81252
260	480	132	3550	14600	650	114	89452	89452
280	350	53	860	3650	750	10.3	81156	81156
280	380	80	1460	5600	700	25.9	81256	81256
280	520	145	4200	17400	600	142	89456	89456
300	380	62	1060	4500	700	16.67	81160	81160
300	420	95	1930	7300	650	40.55	81260	81260
300	540	145	4300	18400	550	153	89460	89460
320	400	63	1100	4750	650	17.82	81164	81164
320	440	95	1960	7600	600	42.6	81264	81264

注： \*表列为油润滑数值, 脂润滑为表列数值50%。