



|    |     |    |     |     |      |      |       |       |                    |      |      |      |      |      |      |     |     |       |
|----|-----|----|-----|-----|------|------|-------|-------|--------------------|------|------|------|------|------|------|-----|-----|-------|
| 30 | 62  | 30 | 1   | 0.6 | 22.9 | 44   | 7300  | 10000 | 760206X2TN1/P4DFA  |      |      |      |      |      |      |     |     | 0.419 |
| 30 | 72  | 38 | 1.1 | 0.6 | 50   | 39   | 6700  | 9000  | 7306ACM/DB         | 31   |      |      | 37   | 65   |      | 1   | 0.6 | 0.661 |
| 35 | 62  | 28 | 1   | 0.3 | 31   | 27.4 | 13000 | 19000 | 7007C/DB           | 27   |      |      |      | 57   |      |     | 0.6 | 0.296 |
| 35 | 72  | 34 | 1.1 | 0.6 | 48.1 | 38   | 6300  | 8400  | 7207BTNT/DB        | 61.9 |      |      | 42   |      | 67.5 | 1   | 0.6 | 0.571 |
| 35 | 72  | 34 | 1.1 | 0.6 | 41.5 | 34   | 6300  | 8400  | 7207BM/DT          |      |      | 31   | 42   | 65   |      | 1   |     | 0.656 |
| 35 | 72  | 34 | 1.1 | 0.6 | 48   | 41   | 6300  | 8500  | 7207CHATN1/P4DTCX  |      |      | 31   | 42   | 65   |      | 1   | 1   | 0.584 |
| 35 | 80  | 42 | 1.5 | 0.6 | 63.1 | 50   | 11000 | 18000 | 7307AC/DBA         | 47.8 |      |      | 43.5 |      | 74.5 | 1.5 | 0.6 | 0.907 |
| 35 | 80  | 42 | 1.5 | 0.6 | 63.1 | 50   | 11000 | 18000 | 7307AC/DB          | 47.8 |      |      | 43.5 |      | 74.5 | 1.5 | 0.6 | 0.907 |
| 35 | 80  | 42 | 1.5 |     | 62.4 | 49   | 11000 | 15000 | 7307BM/DFYA3       |      | 28.1 |      | 43.5 |      | 74.5 | 1.5 |     | 1.1   |
| 35 | 80  | 42 | 1.5 | 0.6 | 62   | 49   | 6000  | 8000  | 7307BM/DT          |      |      | 35   | 43.5 | 71.5 |      | 1.5 |     | 1.1   |
| 40 | 90  | 40 | 1   | 0.6 | 77   | 187  | 6000  | 7500  | 760308X2TN1/P4ADTA |      |      |      |      |      |      |     |     | 1.27  |
| 40 | 90  | 46 | 1.5 | 0.6 | 75   | 60   | 5300  | 7000  | 7308BM/DB          | 39   |      |      | 49   | 81   |      | 1.5 | 1   | 1.42  |
| 40 | 90  | 46 | 1.5 | 0.6 | 77   | 62.3 | 6700  | 9000  | 7308AC/DB          | 56.5 |      |      | 49   | 81   |      | 1.5 | 1   | 1.25  |
| 40 | 90  | 46 | 1.5 | 0.6 | 76   | 62   | 6700  | 9000  | 7308ACM/DB         | 53.5 |      |      | 49   | 81   |      | 1.5 | 1   | 1.49  |
| 45 | 85  | 38 | 1.1 | 0.6 | 56   | 49   | 6000  | 7400  | 7209BM/DT          |      |      | 36.8 | 52   | 78   |      | 1   |     | 1.97  |
| 45 | 85  | 38 | 1.1 | 0.6 | 56   | 49   | 6000  | 7400  | 7209BM/DFCC        |      | 35.5 |      | 52   | 78   |      | 1   |     | 1.97  |
| 45 | 85  | 38 | 1.1 | 0.6 | 66.5 | 57.5 | 5300  | 7000  | 7209C/DBA          | 37   |      |      | 52   | 78   |      | 1   | 0.6 | 0.805 |
| 45 | 85  | 38 | 1.5 | 1.1 | 34.5 | 74   | 5300  | 7000  | 760209TN1/P4DBB    | 37   |      |      | 52   | 78   |      | 1   | 0.6 | 0.978 |
| 45 | 100 | 50 | 1.5 | 0.6 | 108  | 88   | 9000  | 12000 | 7309ACM/DB         | 58.8 |      |      | 54   |      | 94   | 1.5 | 1   | 2.03  |
| 45 | 100 | 50 | 1.5 | 0.6 | 97.5 | 79   | 9000  | 12000 | 7309BM/HADB        | 85.8 |      |      | 54   |      | 94   | 1.5 | 1   | 2.03  |
| 45 | 100 | 50 | 1.5 | 0.6 | 75   | 80   | 9000  | 12000 | 7309BT/DB          | 85.8 |      |      | 54   |      | 94   | 1.5 | 1   | 1.83  |
| 45 | 100 | 50 | 1.5 | 0.6 | 97.5 | 79   | 4800  | 6300  | 7309BM/DT          |      |      | 43   | 54   | 91   |      | 1.5 |     | n     |
| 45 | 100 | 50 | 1.5 | 0.6 | 82.5 | 79   | 4800  | 6300  | 7309BM/DB          | 43   |      |      | 54   | 91   |      | 1.5 | 1   | 2.02  |
| 45 | 100 | 50 | 1.5 | 0.6 | 91.3 | 88   | 4800  | 6300  | 7309ACM/DB         | 43   |      |      | 54   | 91   |      | 1.5 | 1   | 2.02  |
| 45 | 100 | 50 | 1.5 | 0.6 | 91.3 | 88   | 4800  | 6300  | 7309AC/DB          | 58.8 |      |      | 54   | 91   |      | 1.5 | 1   | 1.83  |
| 45 | 100 | 50 | 1.5 | 0.6 | 97.5 | 79   | 4800  | 6300  | 7309BM/DT          |      |      | 73.3 | 54   | 91   |      | 1.5 | 1   | 2.02  |
| 50 | 80  | 32 | 1   | 1   | 41.5 | 46   | 10000 | 14000 | 7010C/DF           |      | 1.4  |      |      |      | 75   |     | 0.6 | 0.489 |

|    |     |    |     |     |      |      |      |       |                        |       |      |      |    |     |     |     |     |       |
|----|-----|----|-----|-----|------|------|------|-------|------------------------|-------|------|------|----|-----|-----|-----|-----|-------|
| 50 | 90  | 40 | 1.1 | 0.6 | 580  | 53.5 | 4800 | 6300  | 7210BM/DT              |       |      | 39.4 | 57 | 83  |     | 1   |     | 2.35  |
| 50 | 110 | 54 | 2   | 1   | 117  | 98   | 8200 | 11000 | 7310ACM/DB             | 64.3  |      |      | 60 |     | 104 | 2   | 1   | 2.32  |
| 50 | 110 | 54 | 2   | 1   | 117  | 98   | 8200 | 11000 | 7310ACM/DF             |       | 10.3 |      | 60 |     | 104 | 2   |     | 2.41  |
| 50 | 110 | 54 | 2   | 1   | 117  | 98   | 8200 | 11000 | 7310AC/DB              | 64.3  |      |      | 60 |     | 104 | 2   | 1   | 2.09  |
| 50 | 110 | 54 | 2   | 1   | 113  | 88   | 8200 | 11000 | 7310BM/DB              | 94.1  |      |      | 60 |     | 104 | 2   | 1   | 2.35  |
| 50 | 110 | 54 | 2   |     | 113  | 88   | 8200 | 11000 | 7310BM/DFYA<br>3       |       | 40.1 |      | 60 | 100 |     | 2   |     | 2.35  |
| 50 | 110 | 54 | 2   |     | 122  | 102  | 8200 | 11000 | 7310CM/DF              |       | 5.6  |      | 60 | 100 |     | 2   |     | 2.41  |
| 50 | 110 | 54 | 2   | 1   |      |      | 4300 | 5600  | 7310BM/DB              | 47    |      |      | 61 | 99  |     | 2   | 1   | 2.38  |
| 50 | 110 | 54 | 2   | 1   |      |      | 4300 | 5600  | 7310BM/DFYA<br>3       |       | 47   |      | 61 | 99  |     | 2   | 1   | 2.38  |
| 55 | 90  | 36 | 1.1 | 0.6 | 50.7 | 51   | 9200 | 1200  | 7011ACQ5/DB            | 51.8  |      |      | 62 |     | 85  | 1   | 0.6 | 0.947 |
| 55 | 90  | 36 | 1.1 | 0.6 | 53   | 54   |      |       | 7011C/DT               |       | 28.4 |      | 62 | 85  |     |     |     | 0.772 |
| 55 | 100 | 42 | 1.5 | 0.6 | 82   | 76   | 4300 | 5600  | 7211ACM/DB             | 57.1  |      |      | 64 |     | 91  | 1.5 | 1   | 1.4   |
| 55 | 100 | 42 | 1.5 | 0.6 | 80.5 | 78   | 9000 | 12000 | 7211CHA/P4A<br>DBA     | 41.8  |      |      | 64 |     | 91  | 1.5 | 1   | 1.26  |
| 55 | 120 | 58 | 2   | 1   | 143  | 126  | 4000 | 5000  | 7311ACM/DB             | 69.8  |      |      | 66 |     | 109 | 2   | 1   | 3.3   |
| 55 | 120 | 58 | 2   | 1   | 143  | 126  | 4000 | 5000  | 7311AC/DB              | 69.8  |      |      | 66 |     | 109 | 2   | 1   | 2.88  |
| 55 | 120 | 58 | 2   | 1   | 127  | 113  | 7500 | 9900  | 7311BM/DB              | 102.4 |      |      | 65 |     | 114 | 2   | 1   | 13.55 |
| 55 | 120 | 58 | 2   | 1   | 127  | 112  | 3800 | 5000  | 7311BM/DT              |       |      | 51   | 66 | 109 |     | 2   | 1   | 3.22  |
| 55 | 120 | 58 | 2   | 2   | 143  | 126  | 3800 | 5000  | 7311ACM/DF             |       | 51   |      | 66 | 109 |     | 2   | 1   | 3.3   |
| 60 | 95  | 36 | 1.1 | 0.6 | 58   | 60   | 6000 | 8000  | 7012AC/DBB             | 62.7  |      |      | 60 |     | 90  |     | 0.6 | 0.785 |
| 60 | 95  | 36 | 1.1 | 1.1 | 57   | 61   | 6000 | 8000  | 7012CHA/P4A<br>DBA     | 62.7  |      |      | 60 |     | 90  |     | 0.6 | 0.816 |
| 60 | 95  | 36 | 1.1 | 0.6 | 54   | 58   | 6000 | 8000  | 7012ACHA/P4<br>DTA     |       |      |      | 60 |     | 90  |     | 0.6 | 0.816 |
| 60 | 95  | 36 | 1.1 | 0.6 | 54   | 58   | 6000 | 8000  | 7012ACHATN1<br>/P4DTCX |       |      |      | 60 |     | 90  |     | 0.6 | 0.815 |
| 60 | 110 | 44 | 1.5 | 0.6 | 72.5 | 98.8 | 7700 | 10000 | 7212C/DT               |       |      | 22   | 69 | 101 |     | 1.5 |     | 1.57  |
| 60 | 110 | 44 | 1.5 | 0.6 | 89.5 | 86   | 7700 | 10000 | 7212ACM/DB             | 61.6  |      |      | 69 |     | 101 | 1.5 | 1   | 1.9   |
| 60 | 110 | 44 | 1.5 | 0.6 | 89.5 | 86   | 4000 | 5300  | 7212ACM/DB             | 47    |      |      | 69 | 101 |     | 1.5 | 1   | 1.89  |
| 60 | 110 | 44 | 1.5 | 0.6 | 74   | 77   | 4000 | 5300  | 7212ACHA/P4<br>DBB     | 47    |      |      | 69 | 101 |     | 1.5 | 1   | 1.86  |

|    |     |    |     |     |      |     |      |       |                      |       |      |      |    |     |       |     |     |       |
|----|-----|----|-----|-----|------|-----|------|-------|----------------------|-------|------|------|----|-----|-------|-----|-----|-------|
| 60 | 110 | 44 | 1.5 | 0.6 | 74   | 77  | 4000 | 5300  | 7212ACHA/P5<br>DBB   | 47    |      |      | 69 | 101 |       | 1.5 | 1   | 1.86  |
| 60 | 110 | 44 | 1.5 | 0.6 | 74   | 77  | 4000 | 5300  | 7212ACHA/P5<br>DBBSJ | 47    |      |      | 69 | 101 |       | 1.5 | 1   | 1.86  |
| 60 | 130 | 62 | 2.1 |     | 154  | 134 | 4000 | 5000  | 7312ACM/DF           |       | 13.3 |      | 72 | 118 |       | 2   |     | 4.05  |
| 60 | 130 | 62 | 2.1 | 1.1 | 106  | 138 | 5600 | 7800  | 7312BT/DB            | 111   |      |      | 69 |     | 127   | 2   | 1   | 1.83  |
| 60 | 130 | 62 | 2.1 | 1.1 | 155  | 135 | 6900 | 9200  | 7312AC/DB            | 75.3  |      |      | 72 |     | 123   | 2   | 1   | 3.61  |
| 60 | 130 | 62 | 2.1 | 1.1 | 179  | 120 | 3600 | 4800  | 7312BM/DB            | 55    |      |      | 72 | 118 |       | 2   | 1   | 4.28  |
| 60 | 130 | 62 | 2.1 | 1.1 | 154  | 134 | 3600 | 4800  | 7312ACM/DB           | 55    |      |      | 72 | 118 |       | 2   | 1   | 4.24  |
| 60 | 130 | 62 | 2.1 | 1.1 | 154  | 134 | 3600 | 4800  | 7312ACM/DT           |       |      | 55   | 72 | 118 |       | 2   |     | 4.24  |
| 60 | 130 | 62 | 2.1 | 1.1 | 154  | 134 | 3600 | 4800  | 7312ACM/DF           |       | 55   |      | 72 | 118 |       | 2   | 1   | 4.24  |
| 65 | 100 | 36 | 1.1 | 0.6 | 54.6 | 62  | 7800 | 10000 | 7013AC/DT            |       |      | 28.2 | 72 | 93  |       | 1   |     | 0.828 |
| 65 | 100 | 36 | 1.1 | 0.6 | 48   | 52  | 7800 | 10000 | 7013AC/DBB           |       |      |      |    |     |       |     |     | 0.824 |
| 65 | 100 | 36 | 1.1 | 0.6 | 48   | 52  | 7800 | 10000 | 7013ACHA/P4<br>DBA   |       |      |      |    |     |       |     |     | 0.811 |
| 65 | 120 | 46 | 1.5 | 0.6 | 118  | 117 | 7100 | 9500  | 7213ACQ5/DB<br>YA3   | 66.1  |      |      | 74 |     | 114   | 1.5 | 1   | 2.43  |
| 65 | 140 | 66 | 2.1 | 1.1 | 186  | 169 | 6400 | 8500  | 7313AC/DB            | 60    |      |      | 77 |     | 133   | 2   | 1   | 4.47  |
| 65 | 140 | 66 | 2.1 | 1.1 | 157  | 169 | 3200 | 4300  | 7313ACM/DB           | 60    |      |      | 77 | 128 |       | 2   | 1   | 5.12  |
| 65 | 140 | 66 | 2.1 | 1.1 | 165  | 150 | 3200 | 4300  | 7313BM/DF            |       | 60   |      | 77 | 128 |       | 2   | 1   | 4.96  |
| 65 | 140 | 66 | 2.1 | 1.1 | 165  | 150 | 3200 | 4300  | 7313BM/DT            |       |      | 76.5 | 77 | 128 |       | 2   | 1   | 4.96  |
| 70 | 110 | 40 | 1.1 | 1.1 | 58.5 | 86  | 6900 | 9200  | 7014CM/P5DB          | 62    |      |      | 77 |     | 102   | 1   | 1   | 1.45  |
| 70 | 110 | 40 | 1.1 | 0.6 | 71.5 | 82  | 6900 | 9200  | 7014AC/DBB           |       |      |      |    |     |       |     |     | 1.25  |
| 70 | 110 | 40 | 1.1 | 1.1 | 58.5 | 86  | 7300 | 9700  | 7014C/DB             | 44.1  |      |      | 77 | 103 | 105.5 | 1   | 0.6 | 1.25  |
| 70 | 110 | 40 | 1.1 | 1.1 | 62   | 73  | 7300 | 9700  | 7014AHA/P4D<br>BA    | 44.1  |      |      | 77 | 103 | 105.5 | 1   | 0.6 | 1.27  |
| 70 | 110 | 40 | 1.1 | 0.6 | 65   | 75  | 7300 | 9700  | 7014ACHA/P4<br>DBA   | 44.1  |      |      | 77 | 103 | 105.5 | 1   | 0.6 | 1.25  |
| 70 | 125 | 48 | 1.5 | 0.6 | 124  | 123 | 3300 | 4600  | 7214ACM/DB           | 69.5  |      |      | 79 |     | 116   | 1.5 | 1   | 2.47  |
| 70 | 125 | 48 | 1.5 | 0.6 | 108  | 108 | 3300 | 4600  | 7214BM/DT            |       |      | 52.9 | 79 | 116 |       | 1.5 |     | 2.54  |
| 70 | 150 | 70 | 2.1 | 1.1 | 209  | 193 | 5900 | 7900  | 7314ACM/DB           | 86.3  |      |      | 82 |     | 143   | 2   | 1   | 6.08  |
| 70 | 150 | 70 | 2.1 |     | 209  | 193 | 5900 | 7900  | 7314ACM/DF           |       | 16.3 |      | 82 | 138 |       | 2   |     | 5.93  |
| 70 | 150 | 70 | 2.1 | 1.1 | 186  | 173 | 3800 | 5000  | 7314BM/DB            | 127.3 |      |      | 82 |     | 143   | 2   | 1   | 6.32  |

|    |     |    |     |     |      |      |      |      |                        |       |      |      |    |     |     |     |     |      |
|----|-----|----|-----|-----|------|------|------|------|------------------------|-------|------|------|----|-----|-----|-----|-----|------|
| 70 | 150 | 70 | 2.1 |     | 185  | 171  | 3000 | 4000 | 7314BM/DT              |       |      | 64   | 82 | 138 |     | 2   |     | 6.32 |
| 70 | 150 | 70 | 2.1 | 1.1 | 209  | 192  | 3000 | 4000 | 7314ACM/DB             | 64    |      |      | 82 | 138 |     | 2   | 1   | 6.27 |
| 70 | 150 | 70 | 2.1 | 1.1 | 209  | 192  | 3000 | 4000 | 7314ACM/DBY<br>A8      | 64    |      |      | 82 | 138 |     | 2   | 1   | 6.25 |
| 70 | 150 | 70 | 2.1 | 2.1 | 75   | 82   | 3000 | 4000 | 7314ACM/DF             |       | 64   |      | 82 | 138 |     | 2   | 1   | 6.12 |
| 70 | 180 | 84 | 3   | 3   | 240  | 236  | 2400 | 3400 | 7414BM/DFA             |       | 74   |      | 86 | 164 |     | 2.5 | 1   | 11.3 |
| 70 | 110 | 40 | 1.1 | 1.1 | 65   | 75   |      |      | 7014ACTN1/P<br>4DBA    | 62    |      |      | 71 | 103 |     |     |     | 1.24 |
| 75 | 115 | 40 | 1.1 | 1.1 | 69   | 83.5 | 6000 | 8000 | 7015ACHATN1/<br>P4DTCX |       |      |      | 80 |     | 110 |     | 0.6 | 1.29 |
| 75 | 130 | 50 | 1.5 | 0.6 | 112  | 116  | 6200 | 8200 | 7215BM/DB              | 111   |      |      | 84 |     | 124 | 1.5 | 1   | 2.63 |
| 75 | 130 | 50 | 1.5 | 0.6 | 103  | 113  | 3200 | 4300 | 7215CHATN1/<br>P4DTCX  |       |      | 56   | 84 | 121 |     | 1.5 | 1.5 | 2.51 |
| 75 | 160 | 74 | 2.1 | 1.1 | 228  | 218  | 5500 | 7400 | 7315ACM/DB             | 91.8  |      |      | 87 |     | 153 | 2   | 1   | 7.09 |
| 75 | 160 | 74 | 2.1 | 1.1 | 228  | 218  | 5500 | 7400 | 7315ACM/DT             |       |      | 45.9 | 87 | 148 |     | 2   |     | 7.09 |
| 75 | 160 | 74 | 2.1 | 1.1 | 228  | 218  | 5500 | 7400 | 7315ACQ1/DT            |       |      | 45.9 | 87 | 148 |     | 2   |     | 7.04 |
| 75 | 160 | 74 | 2.1 | 1.1 | 203  | 194  | 3600 | 4800 | 7315B/DT               |       |      | 67.8 | 87 | 148 |     | 2   |     | 6.51 |
| 75 | 160 | 74 | 2.1 | 1.1 | 203  | 194  | 3600 | 4800 | 7315BQ1/P6D<br>TGASO   |       |      | 67.8 | 87 | 148 |     | 2   |     | 7.41 |
| 75 | 160 | 74 | 2.1 | 1.1 | 190  | 218  | 2800 | 3800 | 7315ACM/DB             | 68    |      |      | 87 | 148 |     | 2   | 1   | 7.3  |
| 75 | 160 | 74 | 2.1 | 1.1 | 202  | 195  | 2800 | 3800 | 7315BM/DB              | 135.6 |      |      | 87 | 148 |     | 2   | 1   | 6.81 |
| 75 | 160 | 74 | 2.1 | 2.1 | 202  | 194  | 2800 | 3800 | 7315BM/DF              |       | 61.6 |      | 87 | 148 |     | 2   | 1   | 6.81 |
| 75 | 160 | 74 | 2.1 | 2.1 | 202  | 194  | 2800 | 3800 | 7315BM/DT              |       |      | 117  | 87 | 148 |     | 2   | 1   | 6.81 |
| 75 | 160 | 74 | 2.1 | 1.1 | 190  | 218  | 2800 | 3800 | 7315ACM/DT             |       |      | 68   | 87 | 148 |     | 2   |     | 7.3  |
| 80 | 125 | 44 | 1.1 | 0.6 | 89.7 | 105  | 6400 | 8500 | 7016ACM/DB             | 69.8  |      |      | 87 |     | 120 | 1   | 0.6 | 1.97 |
| 80 | 125 | 44 | 1.1 | 0.6 | 89.7 | 105  | 6400 | 8500 | 7016AC/DBB             | 69.8  |      |      | 87 |     | 120 | 1   | 0.6 | 1.7  |
| 80 | 125 | 44 | 1.1 | 0.6 | 83   | 99   | 6400 | 8500 | 7016ACHA/P5<br>DBA     | 69.8  |      |      | 87 |     | 120 | 1   | 0.6 | 1.85 |
| 80 | 125 | 44 | 1.1 | 0.6 | 77   | 105  | 6400 | 8500 | 7016ACM/DB             | 69.8  |      |      | 87 |     | 120 | 1   | 0.6 | 2    |
| 80 | 125 | 44 | 1.1 | 0.6 | 79   | 95   | 6400 | 8500 | 7016AHA/P4D<br>BB      | 69.8  |      |      | 87 |     | 120 | 1   | 0.6 | 1.85 |
| 80 | 125 | 44 | 1.1 | 0.6 | 83   | 99   | 6400 | 8500 | 7016ACHA/P4<br>DBAZH   | 69.8  |      |      | 87 |     | 120 | 1   | 0.6 | 1.85 |

|    |     |    |     |     |      |     |      |      |                         |       |      |      |    |     |     |     |     |      |
|----|-----|----|-----|-----|------|-----|------|------|-------------------------|-------|------|------|----|-----|-----|-----|-----|------|
| 80 | 140 | 52 | 2   | 1   | 150  | 158 | 6400 | 8500 | 7216AC/P4DB<br>B        | 59    |      |      | 91 | 129 |     | 2   | 1   | 2.97 |
| 80 | 140 | 52 | 2   | 1   | 150  | 158 | 6400 | 8500 | 7216ACQ5/DB<br>YA3      | 77.5  |      |      | 90 |     | 134 | 2   | 1   | 3.26 |
| 80 | 140 | 52 | 2   | 1   | 150  | 158 | 3000 | 4000 | 7216ACM/DB              | 77.5  |      |      | 91 |     | 129 | 2   | 1   | 3.46 |
| 80 | 140 | 52 | 2   | 1   | 107  | 123 | 3000 | 4000 | 7216ACHA/P5<br>DBB      | 59    |      |      | 91 | 129 |     | 2   | 1   | 3.1  |
| 80 | 170 | 78 | 2.1 | 1.1 | 218  | 218 | 3400 | 4500 | 7316BM/DT               |       |      | 71.9 | 92 | 158 |     | 2   |     | 8.5  |
| 80 | 170 | 78 | 2.1 | 1.1 | 246  | 245 | 2500 | 3600 | 7316ACM/DB              | 97.3  |      |      | 92 |     | 158 | 2   | 1   | 8.18 |
| 80 | 170 | 78 | 2.1 | 1.1 | 246  | 245 | 2500 | 3600 | 7316AC/DB               | 97.3  |      |      | 92 |     | 158 | 2   | 1   | 7.17 |
| 80 | 170 | 78 | 2.1 | 1.1 | 220  | 218 | 2600 | 3600 | 7316BM/DB               | 143   |      |      | 92 | 158 |     | 2   | 1   | 8.3  |
| 80 | 170 | 78 | 2.1 | 2.1 | 220  | 218 | 2600 | 3600 | 7316BM/DF               |       | 65.8 |      | 92 | 158 |     | 2   | 1   | 8.3  |
| 80 | 170 | 78 | 2.1 | 2.1 | 220  | 218 | 2600 | 3600 | 7316BM/DT               |       |      | 124  | 92 | 158 |     | 2   | 1   | 8.3  |
| 80 | 200 | 96 | 3   | 1.1 | 320  | 339 | 4000 | 6000 | 7416AC/DT               |       |      | 56.7 | 94 | 186 |     | 2.5 |     | 14.4 |
| 85 | 130 | 44 | 1.1 | 0.6 | 84.5 | 104 | 4300 | 5600 | 7017ACHA/P4<br>DBA      | 84.1  |      |      | 90 |     | 125 |     | 0.6 | 1.85 |
| 85 | 150 | 56 | 2   | 1   | 148  | 151 | 5400 | 7200 | 7217BM/DB               | 126.7 |      |      | 95 |     | 144 | 2   | 1   | 4.47 |
| 85 | 150 | 56 | 2   | 1   | 162  | 174 | 2800 | 3800 | 7217ACM/DB              | 63    |      |      | 96 | 139 |     | 2   | 1   | 4.22 |
| 85 | 150 | 56 | 2   | 1   | 157  | 144 | 2800 | 3800 | 7217BM/DB               | 64    |      |      | 96 | 139 |     | 2   | 1   | 4.53 |
| 85 | 180 | 82 | 3   | 1.1 | 265  | 273 | 4900 | 6500 | 7317ACM/DB              | 102.8 |      |      | 99 |     | 173 | 2.5 | 1   | 9.78 |
| 85 | 180 | 82 | 3   | 1.1 | 265  | 275 | 4900 | 6500 | 7317AC/DB               | 102.8 |      |      | 99 |     | 173 | 2.5 | 1   | 8.7  |
| 85 | 180 | 82 | 3   |     | 265  | 273 | 4900 | 6500 | 7317ACM/DF              |       | 20.8 |      | 99 | 166 |     | 2.5 |     | 9.78 |
| 85 | 180 | 82 | 3   | 1.1 | 230  | 240 | 2400 | 3400 | 7317BM/DT               |       |      | 76   | 99 | 166 |     | 2.5 | 2.5 | 9.78 |
| 85 | 180 | 82 | 3   | 1.1 | 236  | 244 | 2400 | 3400 | 7317BM/DB               | 76    |      |      | 99 | 166 |     | 2.5 | 1   | 9.78 |
| 85 | 180 | 82 | 3   | 1   | 265  | 275 | 2400 | 3400 | 7317ACM/DBY<br>A8       | 76    |      |      | 99 | 166 |     | 2.5 | 1   | 10   |
| 85 | 180 | 82 | 3   | 1.1 | 230  | 240 | 2400 | 3400 | 7317BM/DT               |       |      | 76   | 99 | 166 |     | 2.5 |     | 10   |
| 90 | 140 | 48 | 1.5 | 0.6 | 110  | 131 | 3800 | 5300 | 7018AC/DBB              | 90.4  |      |      | 96 |     | 134 |     | 1   | 2.36 |
| 90 | 140 | 48 | 1.5 | 0.6 | 102  | 125 | 3800 | 5300 | 7018ACHA/P4<br>DBA      | 90.4  |      |      | 96 |     | 134 |     | 1   | 2.35 |
| 90 | 140 | 45 | 1.5 | 1   | 65   | 90  | 3800 | 5300 | SV7018X2ATY<br>N/P4ADBA | 90.4  |      |      | 96 |     | 134 |     | 1   | 2.48 |
| 90 | 140 | 48 | 1.5 | 0.6 | 102  | 125 | 3800 | 5300 | 7018ACHA/P5<br>DBB      | 90.4  |      |      | 96 |     | 134 |     | 1   | 2.35 |

|     |     |    |     |     |     |     |      |      |                         |       |      |       |     |     |     |     |     |      |
|-----|-----|----|-----|-----|-----|-----|------|------|-------------------------|-------|------|-------|-----|-----|-----|-----|-----|------|
| 90  | 140 | 48 | 1.5 | 0.6 | 120 | 145 | 3800 | 5300 | 7018CHA/P4D<br>BAZH     | 90.4  |      |       | 96  |     | 134 |     | 1   | 2.34 |
| 90  | 190 | 86 | 3   | 1.1 | 286 | 305 | 4500 | 6300 | 7318ACM/DB              | 108.2 |      |       | 104 |     | 173 | 2.5 | 1   | 12.2 |
| 90  | 140 | 48 | 1.5 | 0.6 | 102 | 125 | 4500 | 6300 | 7018ACTN1/P<br>4DBA     | 77.6  |      |       | 99  |     | 133 | 1.5 | 0.6 | 2.34 |
| 90  | 160 | 60 | 2   | 1   | 166 | 176 | 3400 | 4500 | 7218B/P4DFA             |       | 74.9 |       | 105 | 145 |     | 1.5 | 0.6 | 4.78 |
| 90  | 140 | 48 | 1.5 | 0.6 | 102 | 125 | 4500 | 6300 | 7018ACTN1/P<br>5DBA     | 77.6  |      |       | 99  |     | 133 | 1.5 | 0.6 | 2.34 |
| 90  | 190 | 86 | 3   | 1.1 | 250 | 270 | 4500 | 6300 | 7318BM/DT               |       |      | 138.9 | 104 | 176 |     | 2.5 |     | 10.3 |
| 95  | 170 | 64 | 2.1 |     | 215 | 229 | 4800 | 6400 | 7219ACQ5/DF             |       | 29.8 |       | 107 | 158 |     | 2   |     | 5.95 |
| 95  | 170 | 64 | 2.1 | 1.1 | 215 | 228 | 2400 | 3400 | 7219AC/DBB              | 72    |      |       | 107 | 158 |     | 2   | 1   | 5.36 |
| 95  | 200 | 90 | 3   | 1.1 | 306 | 335 | 4300 | 5800 | 7319ACM/DB              | 113.8 |      |       | 109 |     | 193 | 2.5 | 1   | 12.6 |
| 95  | 200 | 90 | 3   |     | 305 | 335 | 2000 | 3000 | 7319ACM/DF              |       | 23.8 |       | 109 | 186 |     | 2.5 |     | 13.3 |
| 95  | 200 | 90 | 3   |     | 355 | 300 | 4000 | 5000 | 7319BM/DF               |       | 78.8 |       | 109 | 186 |     | 2.5 |     | 13.4 |
| 95  | 200 | 90 | 3   | 1.1 | 273 | 300 | 2000 | 3000 | 7319BM/DB               | 84    |      |       | 109 | 186 |     | 2.5 | 1   | 13.4 |
| 95  | 200 | 90 | 3   | 1.1 | 306 | 335 | 2000 | 3000 | 7319ACM/DB              | 84    |      |       | 109 | 186 |     | 2.5 | 1   | 13   |
| 95  | 200 | 90 | 3   | 1.1 | 273 | 300 | 2000 | 3000 | 7319BM/DB               | 84    |      |       | 109 | 186 |     | 2.5 | 1   | 12.6 |
| 95  | 200 | 90 | 3   | 3   | 273 | 300 | 2000 | 3000 | 7319BM/DF               |       | 84   |       | 109 | 186 |     | 2.5 | 1   | 12.6 |
| 95  | 200 | 90 | 3   | 3   | 273 | 300 | 2000 | 3000 | 7319BM/DT               |       |      | 61.5  | 109 | 186 |     | 2.5 |     | 12.6 |
| 95  | 200 | 90 | 3   | 3   | 305 | 335 | 2000 | 3000 | 7319ACM/DF              |       | 84   |       | 109 | 186 |     | 2.5 | 1   | 13   |
| 100 | 150 | 48 | 1.5 | 0.6 | 111 | 141 | 3600 | 5000 | 7020AHA/P4D<br>BA       | 96.2  |      |       |     |     | 144 |     | 1   | 2.49 |
| 100 | 150 | 48 | 1.5 | 0.6 | 124 | 154 | 3600 | 5000 | 7020AC/DBB              | 96.2  |      |       |     |     | 144 |     | 1   | 1.3  |
| 100 | 150 | 48 | 1.5 | 0.6 | 116 | 146 | 3600 | 5000 | 7020ACHA/DB<br>A        | 96.2  |      |       |     |     | 144 |     | 1   | 2.49 |
| 100 | 150 | 45 | 1.5 | 1   | 69  | 94  | 3600 | 5000 | SV7020X2ATY<br>N/P4ADBA |       |      |       |     |     |     |     |     | 2.68 |
| 100 | 150 | 48 | 1.5 | 0.6 | 124 | 154 | 3600 | 5000 | 7020AC/DB               | 96.2  |      |       |     |     | 144 |     | 1   | 2.49 |
| 100 | 150 | 48 | 1.5 | 0.6 | 116 | 146 | 3600 | 5000 | 7020ACHA/P4<br>DBB      | 96.2  |      |       |     |     | 144 |     | 1   | 2.49 |
| 100 | 150 | 48 | 1.5 | 0.6 | 118 | 154 | 3600 | 5000 | 7020ACHA/P4<br>DBBZH    | 96.2  |      |       |     |     | 144 |     | 1   | 2.55 |
| 100 | 180 | 68 | 2.1 | 1.1 | 242 | 260 | 4600 | 6100 | 7220ACM/DB              | 99.3  |      |       | 112 |     | 173 | 2   | 1   | 7.14 |
| 100 | 215 | 94 | 3   |     | 345 | 395 | 1900 | 2800 | 7320ACM/DF              |       | 26.5 |       | 114 | 201 |     | 2   |     | 19.2 |

|     |     |     |     |     |     |     |      |      |                         |       |      |      |     |     |     |     |   |      |
|-----|-----|-----|-----|-----|-----|-----|------|------|-------------------------|-------|------|------|-----|-----|-----|-----|---|------|
| 100 | 215 | 94  | 3   |     | 305 | 355 | 1900 | 2800 | 7320BM/DF               |       | 85.2 |      | 114 | 201 |     | 2   |   | 16.8 |
| 100 | 215 | 94  | 3   | 1.1 | 309 | 354 | 4100 | 5500 | 7320BT/DT               |       |      | 89.6 | 114 | 201 |     | 2.5 |   | 15.2 |
| 100 | 215 | 94  | 3   | 1.1 | 345 | 395 | 1900 | 2800 | 7320ACM/DB              | 90    |      |      | 114 | 201 |     | 2.5 | 1 | 19.4 |
| 100 | 215 | 94  | 3   | 1.1 | 310 | 355 | 2200 | 3200 | 7320BM/DB               | 76    |      |      | 112 | 168 |     | 2   | 1 | 16.8 |
| 100 | 215 | 94  | 3   | 1.1 | 345 | 395 | 1900 | 2800 | 7320ACM/DB              | 90    |      |      | 114 | 201 |     | 2.5 | 1 | 19.2 |
| 105 | 225 | 98  | 3   | 1.1 | 330 | 390 | 1800 | 2600 | 7321BM/DB               | 94    |      |      | 119 | 211 |     | 2.5 | 1 | 19   |
| 105 | 225 | 98  | 3   | 3   | 330 | 390 | 1800 | 2600 | 7321BM/DF               |       | 94   |      | 119 | 211 |     | 2.5 | 1 | 19   |
| 110 | 170 | 56  | 2   | 1   | 165 | 213 | 4500 | 6300 | 7022CM/DBYA<br>3        | 65.5  |      |      |     |     | 164 |     | 1 | 4.82 |
| 110 | 200 | 76  | 2.1 | 1.1 | 299 | 342 | 4100 | 5500 | 7222CM/DB               | 79.5  |      |      | 122 |     | 188 | 2   | 1 | 10   |
| 110 | 200 | 76  | 2.1 | 1.1 | 286 | 325 | 2000 | 3000 | 7222ACM/DB              | 103.3 |      |      | 122 |     | 188 | 2   | 1 | 9.47 |
| 110 | 200 | 76  | 2.1 | 1.1 | 250 | 289 | 4000 | 6000 | 7222BM/P5DB<br>CB       | 167.9 |      |      | 122 |     | 188 | 2   | 1 | 7.92 |
| 110 | 200 | 76  | 2.1 | 1.1 | 299 | 340 | 1900 | 2800 | 7222CM/DB               | 84    |      |      | 122 | 188 |     | 2   | 1 | 9.67 |
| 110 | 200 | 76  | 2.1 | 1.1 | 250 | 289 | 1900 | 2800 | 7222BM/DB               | 85    |      |      | 122 | 188 |     | 2   | 1 | 7.92 |
| 110 | 240 | 100 | 3   | 1.1 | 389 | 463 | 3700 | 5000 | 7322ACM/DT              |       |      | 65.8 | 124 | 226 |     | 2.5 |   | 19.8 |
| 110 | 240 | 100 | 3   |     | 389 | 463 | 3700 | 5000 | 7322ACM/DF              |       | 31.6 |      | 124 | 226 |     | 2.5 |   | 19.9 |
| 110 | 240 | 100 | 3   | 1.1 | 347 | 425 | 3700 | 5000 | 7322BM/DB               | 198.5 |      |      | 124 |     | 233 | 2.5 | 1 | 22.9 |
| 110 | 240 | 100 | 3   |     | 347 | 425 | 3700 | 5000 | 7322BM/DF               |       | 98.5 |      | 124 | 226 |     | 2.5 |   | 23.5 |
| 110 | 240 | 100 | 3   | 1.1 | 385 | 465 | 1700 | 2400 | 7322ACM/DB              | 99    |      |      | 124 | 226 |     | 2.5 | 1 | 20.4 |
| 110 | 240 | 100 | 3   | 1.1 | 385 | 465 | 1700 | 2400 | 7322ACM/DB              | 99    |      |      | 124 | 226 |     | 2.5 | 1 | 19.9 |
| 110 | 240 | 100 | 3   | 3   | 385 | 465 | 1700 | 2400 | 7322ACM/DF              |       | 99   |      | 124 | 226 |     | 2.5 | 1 | 20.4 |
| 110 | 240 | 100 | 3   | 1.1 | 385 | 465 | 1700 | 2400 | 7322ACM/DT              |       |      | 99   | 124 | 226 |     | 2.5 |   | 20.4 |
| 120 | 180 | 56  | 2   |     | 164 | 214 | 4200 | 5600 | 7024AC/DF               |       | 42   |      | 130 | 170 |     | 2   |   | 4.62 |
| 120 | 180 | 56  | 2   | 1   | 140 | 185 | 2000 | 2900 | 7024BM/DT               |       |      | 77   | 130 | 170 |     | 2   |   |      |
| 120 | 180 | 56  | 2   | 1   | 148 | 199 | 1900 | 2800 | 7024AHA/P4D<br>BA       | 77    |      |      | 129 | 171 |     | 2   | 1 | 4.27 |
| 120 | 180 | 56  | 2   | 1   | 153 | 206 | 1900 | 2800 | 7024ACHA/P4<br>DBB      | 77    |      |      | 129 | 171 |     | 2   | 1 | 4.27 |
| 120 | 180 | 56  | 2   | 1   | 153 | 206 | 1900 | 2800 | 7024ACHA/P4<br>DTA      |       |      | 77   | 129 | 171 |     | 2   | 1 | 4.27 |
| 120 | 180 | 54  |     | 1   | 153 | 205 | 1900 | 2800 | SV7024X2ATN<br>1/P4ADBA | 77    |      |      | 129 | 171 |     | 2   | 1 | 4.16 |



|     |     |     |     |     |     |     |      |      |                         |       |      |       |     |     |     |     |     |      |
|-----|-----|-----|-----|-----|-----|-----|------|------|-------------------------|-------|------|-------|-----|-----|-----|-----|-----|------|
| 120 | 180 | 54  |     | 1   | 153 | 205 | 1900 | 2800 | SV7024X2ATY<br>N/P4ADBA | 77    |      |       | 129 | 171 |     | 2   | 1   | 4.16 |
| 120 | 215 | 80  | 2.1 | 1.1 | 307 | 367 | 3800 | 5000 | 7224ACQ5/DB             | 118.1 |      |       | 132 |     | 208 | 2   | 1   | 13.1 |
| 120 | 215 | 80  | 2.1 | 1.1 | 300 | 367 | 1700 | 2400 | 7224ACM/DBS<br>H        | 90    |      |       | 132 | 203 |     | 2   | 1   | 12.3 |
| 120 | 215 | 80  | 2.1 | 2.1 | 300 | 367 | 1700 | 24   | 7224ACM/DF              |       | 90   |       | 132 | 203 |     | 2   | 1   | 12.3 |
| 120 | 260 | 110 | 3   |     | 400 | 540 | 3300 | 4500 | 7324AC/DF               |       | 33.6 |       | 134 | 246 |     | 2.5 |     | 27.4 |
| 120 | 260 | 110 | 3   | 1.1 | 410 | 525 | 3300 | 4500 | 7324B/DT                |       |      | 107.2 | 134 | 246 |     | 2.5 |     | 29.2 |
| 120 | 260 | 110 | 3   | 1.1 | 430 | 540 | 1600 | 2200 | 7324AC/DB               | 107   |      |       | 134 | 246 |     | 2.5 | 1   | 27.4 |
| 120 | 260 | 110 | 3   | 3   | 405 | 525 | 1600 | 2200 | 7324B/DF                |       | 107  |       | 134 | 246 |     | 2.5 | 1   | 29.2 |
| 130 | 180 | 48  | 1.5 | 0.6 | 130 | 190 | 3400 | 4800 | 71926ACM/DT             | 96.3  |      |       |     |     | 174 |     | 1   | 3.78 |
| 130 | 200 | 66  | 2   | 1   | 198 | 260 | 2600 | 3600 | 7026AC/DT               |       |      |       |     |     | 194 |     | 1   | 6.75 |
| 130 | 200 | 63  | 2   | 1   | 126 | 179 | 2600 | 3600 | SV7026X2ATY<br>N/P4ADBA |       |      |       |     |     | 194 |     | 1   | 6.76 |
| 130 | 230 | 80  | 3   | 1.1 | 278 | 350 | 1800 | 2600 | 7226BM/P5DB<br>CB       | 191   |      |       | 144 |     | 216 | 2.5 | 1   | 15.1 |
| 130 | 230 | 80  | 3   | 1.1 | 320 | 400 | 1700 | 2400 | 7226ACM/DB              | 96    |      |       | 144 | 216 |     | 2.5 | 1   | 14   |
| 130 | 230 | 80  | 3   | 3   | 320 | 400 | 1700 | 2400 | 7226ACM/DF              |       | 96   |       | 144 | 216 |     | 2.5 | 1   | 14   |
| 130 | 280 | 116 | 4   |     | 403 | 537 | 3000 | 4000 | 7326B/DF                |       | 114  |       | 148 | 262 |     | 3   |     | 35.9 |
| 130 | 280 | 116 | 4   | 1.5 | 403 | 537 | 3000 | 4000 | 7326B/DT                |       |      | 115.1 | 148 | 262 |     | 3   |     | 35.9 |
| 130 | 280 | 116 | 4   | 1.5 | 455 | 605 | 1500 | 2000 | 7326ACM/DB              | 115   |      |       | 147 | 263 |     | 3   | 1.5 | 36.1 |
| 130 | 230 | 80  | 3   | 1.1 | 278 | 350 | 1800 | 2600 | 7226BM/DT               |       |      | 171   | 152 | 209 |     | 2.5 | 1   | 15.1 |
| 130 | 230 | 80  | 3   | 1.1 | 278 | 350 | 1800 | 2600 | 7226BM/DF               | 111   |      |       | 152 | 209 |     | 2.5 | 1   | 15.1 |
| 130 | 230 | 80  | 3   | 1.1 | 335 | 420 | 1900 | 2800 | 7226C/P4DFA             |       | 8    |       | 148 | 213 |     | 2.5 | 1   | 12.5 |
| 140 | 210 | 66  | 2   |     | 203 | 275 | 3600 | 4800 | 7028AC/DF               |       | 48.6 |       | 150 | 200 |     | 2   |     | 6.92 |
| 140 | 250 | 84  | 3   | 1.1 | 355 | 470 | 1600 | 2200 | 7228ACM/DBS<br>H        | 103   |      |       | 154 | 236 |     | 2.5 | 1   | 16.9 |
| 140 | 250 | 84  | 3   | 1.1 | 309 | 414 | 3200 | 4200 | 7228BM/DB               | 205.8 |      |       | 154 |     | 243 | 2.5 | 1   | 17.2 |
| 140 | 250 | 84  | 3   | 1.1 | 309 | 414 | 3200 | 4200 | 7228BM/DT               |       |      | 184.8 | 154 | 228 |     | 2.5 | 1   | 17.2 |
| 140 | 250 | 84  | 3   | 1.1 | 310 | 415 | 1700 | 2300 | 7228BM/P5DB<br>CB       | 205.6 |      |       | 154 |     | 243 | 2.5 | 1   | 17.2 |
| 140 | 300 | 124 | 4   | 1.5 | 447 | 616 | 2800 | 3800 | 7328B/DT                |       |      | 123.2 | 158 | 282 |     | 3   |     | 42.3 |
| 140 | 300 | 124 | 4   | 1.5 | 445 | 600 | 2900 | 3900 | 7328BA/DT               |       |      | 123   | 158 | 282 |     | 3   |     | 42.3 |

|     |       |      |     |     |     |     |      |      |                     |       |       |       |     |     |       |      |     |      |
|-----|-------|------|-----|-----|-----|-----|------|------|---------------------|-------|-------|-------|-----|-----|-------|------|-----|------|
| 140 | 300   | 124  | 4   | 1.5 | 445 | 600 | 1400 | 1900 | 7328B/DB            | 123   |       |       | 157 | 283 |       | 3    | 1.5 | 42.3 |
| 140 | 300   | 124  | 4   | 4   | 445 | 600 | 1400 | 1900 | 7328B/DF            |       | 123   |       | 157 | 283 |       | 3    | 1.5 | 42.3 |
| 150 | 225   | 70   | 2.1 | 1.1 | 213 | 294 | 1700 | 2300 | 7030BM/DB           | 192.3 |       |       | 160 |     | 215   | 2    | 1   | 9.61 |
| 150 | 225   | 67.5 | 2.1 | 1.1 | 213 | 194 | 1600 | 2200 | 7030X2BM/P4<br>ADBA | 96    |       |       | 160 | 215 |       | 2    | 1   | 9.57 |
| 150 | 270   | 90   | 3   |     | 310 | 430 | 1600 | 2000 | 7230B/DF            |       | 132   |       | 165 | 256 |       | 2.5  |     | 22   |
| 150 | 320   | 130  | 4   |     | 582 | 857 | 2600 | 3600 | 7330AC/DF           |       | 45.3  |       | 168 | 302 |       | 3    |     | 51.6 |
| 150 | 320   | 130  | 4   |     | 582 | 856 | 2600 | 3600 | 7330B/DF            |       | 132   |       | 168 | 302 |       | 3    |     | 52.3 |
| 150 | 270   | 90   | 3   | 1.1 | 315 | 444 | 1500 | 2000 | 7230BM/DB           | 111   |       |       | 164 | 256 | 2.5   | 23.7 |     | 23.4 |
| 160 | 229.5 | 66   | 3   | 1.5 | 151 | 256 | 3000 | 4000 | 72932X3BM/D<br>BYA6 | 78.9  |       |       |     |     | 214   |      | 1   | 9.06 |
| 160 | 240   | 76   | 2.1 | 1.1 | 225 | 315 | 3100 | 4100 | 7032BM/DB           | 205.8 |       |       | 172 |     | 233   | 2    | 1   | 12   |
| 160 | 290   | 96   | 3   | 1.1 | 400 | 580 | 1300 | 1800 | 7232AC/DB           | 118   |       |       | 174 | 276 |       | 2.5  | 1   | 29   |
| 160 | 290   | 96   | 3   | 1.1 | 340 | 500 | 1400 | 1900 | 7232B/DB            | 236.8 |       |       | 174 |     | 276   | 2.5  | 1   | 27.8 |
| 160 | 290   | 96   | 3   | 1.1 | 340 | 500 | 1400 | 1900 | 7232B/DT            |       |       | 212.8 | 174 | 264 |       | 2.5  |     | 27.8 |
| 160 | 290   | 96   | 3   | 3   | 400 | 580 | 1300 | 1800 | 7232AC/DF           |       | 118   |       | 174 | 276 |       | 2.5  | 1   | 29   |
| 160 | 290   | 96   | 3   | 3   | 340 | 500 | 1300 | 1800 | 7232B/DF            |       | 118   |       | 174 | 276 |       | 2.5  | 1   | 27.8 |
| 160 | 340   | 136  | 4   |     | 547 | 819 | 2000 | 3000 | 7332B/DF            |       | 141.8 |       | 178 | 322 |       | 3    |     | 61.6 |
| 170 | 229.5 | 56   | 2   |     | 147 | 225 | 3600 | 4800 | 71934X1B/DF<br>YA3  |       | 139   |       | 168 | 225 |       | 1.5  |     | 7.04 |
| 170 | 260   | 84   | 2.1 | 1.1 | 310 | 435 | 1500 | 2000 | 7034A/C2DB          | 166.2 |       |       | 181 |     | 249   | 2    | 1   | 15.6 |
| 170 | 260   | 84   | 2.1 | 1.1 | 272 | 380 | 1500 | 2000 | 7034B/DB            | 222.6 |       |       | 181 |     | 249   | 2    | 1   | 16.6 |
| 170 | 310   | 104  | 4   | 1.5 | 462 | 685 | 2900 | 3900 | B7234AC/DT          |       |       | 82    | 181 | 249 |       | 3    |     | 34.8 |
| 170 | 310   | 104  | 4   | 1.5 | 495 | 740 | 1800 | 2500 | 7234AC/DT           |       |       | 82    | 181 | 249 |       | 3    |     | 34.1 |
| 170 | 310   | 104  | 1   | 1.5 | 495 | 740 | 1200 | 1700 | 7234AC/DB           | 127   |       |       | 187 | 293 |       | 3    | 1.5 | 34.1 |
| 170 | 360   | 144  | 4   | 1.5 | 570 | 905 | 1000 | 1500 | 7334B/DB            | 294   |       |       | 188 |     | 351.5 | 3    | 1.5 | 69.8 |
| 180 | 280   | 92   | 2.1 | 1.1 | 310 | 485 | 1200 | 1700 | 7036B/DT            |       |       | 119   | 192 | 269 |       | 2    |     | 21   |
| 180 | 280   | 92   | 2.1 | 1.1 | 355 | 525 | 1300 | 1800 | 7036CHA/P4D<br>BA   | 119   |       |       | 191 | 269 |       | 2    | 1   | 19   |
| 180 | 320   | 104  | 4   |     | 400 | 645 | 1000 | 1500 | 7236B/DF            |       | 158   |       | 198 | 304 |       | 3    |     | 35   |
| 180 | 380   | 150  | 4   | 2   | 590 | 970 | 1000 | 1400 | 7336B/DT            |       |       | 156   | 198 | 362 |       | 3    |     | 81   |

|     |       |     |     |     |     |      |      |      |                       |       |      |     |     |     |     |     |     |      |      |
|-----|-------|-----|-----|-----|-----|------|------|------|-----------------------|-------|------|-----|-----|-----|-----|-----|-----|------|------|
| 190 | 260   | 66  | 2   | 1   | 162 | 274  | 2400 | 3400 | 71938CTYN/P<br>5DBAX  | 93.3  |      |     |     |     | 254 |     | 1   | 9.58 |      |
| 190 | 260   | 66  | 2   | 1   | 162 | 274  | 2400 | 3400 | 71938C/P5DB<br>AX     | 93.3  |      |     |     |     | 254 |     | 1   | 9.58 |      |
| 190 | 290   | 92  | 2.1 | 1.1 | 347 | 526  | 2600 | 3400 | 7038AC/DT             |       |      | 79  | 202 | 278 |     |     | 2   | 21.4 |      |
| 190 | 290   | 92  | 2.1 | 1.1 | 218 | 262  | 1200 | 1700 | 7038AC/DT             |       |      | 124 | 201 | 279 |     |     | 2   | 21.5 |      |
| 190 | 400   | 156 | 5   | 2   | 640 | 1100 | 900  | 1400 | 7338B/DT              |       |      | 164 | 210 | 380 |     |     | 4   | 97   |      |
| 200 | 280   | 76  | 2   | 1   | 310 | 480  | 2200 | 3200 | 71940A/DB             | 102   |      |     |     |     | 273 |     | 1   | 14.7 |      |
| 200 | 280   | 76  | 2.1 | 1.1 | 200 | 330  | 2200 | 3200 | 71940CTYN/P<br>4ADBAX | 102   |      |     |     |     | 273 |     | 1   | 6.76 |      |
| 200 | 280   | 76  | 2.1 | 1.1 | 200 | 330  | 2200 | 3200 | 71940CTYN/P<br>4ADBAX | 102   |      |     |     |     | 273 |     | 1   | 13.4 |      |
| 200 | 280   | 76  | 2.1 | 1.1 | 200 | 330  | 2200 | 3200 | 71940C/P4AD<br>BAX    | 102   |      |     |     |     | 273 |     | 1   | 13.4 |      |
| 200 | 280   | 76  | 2.1 | 1.1 | 200 | 330  | 2200 | 3200 | 71940ACHA/P<br>4DBB   | 102   |      |     |     |     | 273 |     | 1   | 13.5 |      |
| 200 | 289.5 | 76  | 3.5 | 2   | 232 | 420  | 2200 | 3200 | 71940X1B/DB<br>YA6    | 102   |      |     |     |     | 273 |     | 1   | 16.9 |      |
| 200 | 310   | 102 | 2.1 | 1.1 | 370 | 575  | 1600 | 2100 | 7040B/DB              | 265   |      |     | 211 |     | 299 | 2   | 1   | 28.3 |      |
| 200 | 360   | 116 | 4   | 1.5 | 503 | 834  | 2200 | 3000 | 7240B/DB              | 292.9 |      |     | 218 |     | 351 | 3   | 1.5 | 51.6 |      |
| 200 | 360   | 116 | 4   |     | 589 | 974  | 2200 | 3000 | 7240C/DF              |       | 17   |     | 218 | 342 |     |     | 3   | 50.3 |      |
| 200 | 360   | 116 | 4   |     | 728 | 920  | 2200 | 3000 | 7240AC/DF             |       | 72.6 |     | 218 | 342 |     |     | 3   | 50.3 |      |
| 200 | 360   | 116 | 4   | 1.5 | 560 | 920  | 1300 | 1800 | 7240AC/DB             | 146   |      |     | 217 | 343 |     |     | 3   | 1.5  | 50.3 |
| 200 | 420   | 160 | 5   | 2   | 720 | 1270 | 900  | 1200 | 7340B/DT              |       |      | 170 | 220 | 400 |     |     | 4   | 108  |      |
| 220 | 300   | 76  | 2.1 | 1.1 | 275 | 475  | 1100 | 1600 | 71944C/P5DB<br>BX     | 129   |      |     | 229 |     | 295 | 2   | 1   | 14.1 |      |
| 220 | 340   | 112 | 3   | 1.1 | 400 | 700  | 900  | 1300 | 7044B/DB              | 290   |      |     | 234 |     | 325 | 2.5 | 1   | 36.5 |      |
| 220 | 400   | 130 | 4   | 1.5 | 505 | 910  | 900  | 1200 | 7244B/DB              | 328   |      |     | 238 |     | 384 | 3   | 1.5 | 70.6 |      |
| 220 | 460   | 176 | 5   |     | 800 | 1450 | 800  | 1200 | 7344B/DF              |       | 198  |     | 240 | 440 |     |     | 4   | 142  |      |
| 230 | 329.5 | 80  | 2.1 | 1.1 | 358 | 605  | 900  | 1200 | 7646AMB/DB            | 201.6 |      |     | 245 |     | 321 | 2   | 1   | 22.7 |      |
| 230 | 329.5 | 80  | 2.1 | 1.1 | 360 | 605  | 900  | 1200 | 7646AMB/DB/<br>W281   | 202.6 |      |     | 246 |     | 321 | 2   | 1   | 22.7 |      |
| 240 | 320   | 76  | 2.1 | 1.1 | 305 | 510  |      |      | 71948C/P4DB<br>BX     |       |      |     |     |     |     |     |     | 14.6 |      |
| 240 | 360   | 112 | 3   |     | 410 | 760  | 900  | 1200 | 7048B/DF              |       | 196  |     | 255 | 345 |     |     | 2.5 | 39   |      |

|     |       |     |     |     |      |      |      |      |                  |       |       |     |     |     |     |     |     |      |
|-----|-------|-----|-----|-----|------|------|------|------|------------------|-------|-------|-----|-----|-----|-----|-----|-----|------|
| 240 | 370   | 112 | 3   |     |      |      |      |      | 366748K          |       | 199.9 |     | 254 | 356 |     | 2.5 |     | 48.7 |
| 260 | 360   | 92  | 2.1 |     | 277  | 630  | 1300 | 1800 | 71952B/DF        |       | 214   |     | 272 | 348 |     | 2   |     | 28.8 |
| 260 | 400   | 130 | 4   | 4   | 520  | 970  | 1000 | 1500 | 7052B/DF/W281    |       | 171   |     | 277 | 383 |     | 1.5 | 3   | 60   |
| 260 | 400   | 130 | 4   | 4   | 520  | 970  | 1000 | 1500 | 7052B/DF         |       | 171   |     | 277 | 383 |     | 1.5 | 3   | 60   |
| 280 | 380   | 92  | 2.1 | 1.1 | 436  | 810  | 950  | 1400 | 71956AC/DB       | 200   |       |     | 292 |     | 372 | 2   | 1   | 31.4 |
| 280 | 380   | 92  | 2.1 | 1.1 | 410  | 745  | 950  | 1400 | 71956A/DBA       | 236.6 |       |     | 290 |     | 370 | 2   | 1   | 33.2 |
| 280 | 420   | 130 | 4   | 1.5 | 490  | 1000 | 800  | 1000 | 7056B/DB         | 358   |       |     | 298 |     | 404 | 3   | 1.5 | 60   |
| 310 | 429.5 | 120 | 3   | 1.1 | 460  | 890  | 800  | 1100 | 71962X3B/DB      |       |       |     |     |     |     |     |     | 52.2 |
| 310 | 429.5 | 120 | 3   | 1.1 | 460  | 890  | 800  | 1100 | 71962X3B/DB/W281 |       |       |     |     |     |     |     |     | 52.2 |
| 340 | 520   | 164 | 5   |     | 725  | 1620 | 660  | 900  | 7068B/DF         |       | 282   |     | 360 | 500 |     | 4   |     | 124  |
| 360 | 440   | 76  | 2.1 | 1.1 | 365  | 840  | 1500 | 1900 | 71872AC/DB       | 224   |       |     | 372 |     | 430 | 2   | 1   | 24   |
| 360 | 480   | 112 | 3   | 3   | 560  | 1250 | 740  | 1000 | 71972AC/DB       | 252   |       |     | 374 |     | 465 | 2.5 | 2.5 | 57.5 |
| 380 | 480   | 92  | 2.1 | 1.1 | 359  | 730  | 700  | 910  | 71876B/DB        | 601   |       |     | 392 |     | 473 | 2   | 1   | 37.2 |
| 380 | 520   | 130 | 4   | 4   | 640  | 1470 | 700  | 910  | 71976AC/DT       |       |       | 137 | 396 | 505 |     | 3   |     | 83.5 |
| 420 | 620   | 180 | 5   | 2   | 850  | 2130 | 520  | 700  | 7084B/DT         |       |       | 263 | 439 | 602 |     | 4   |     | 176  |
| 440 | 650   | 188 | 6   |     | 885  | 2190 | 500  | 650  | 7088BM/DF        |       | 263   |     | 461 | 548 |     | 4   |     | 221  |
| 460 | 580   | 112 | 3   | 3   | 580  | 1530 | 610  | 810  | 71892A/DT        |       |       | 178 | 474 | 567 |     | 2.5 |     | 68   |
| 500 | 620   | 74  | 2.1 |     | 430  | 1230 | 520  | 700  | 708/500A/DF      |       | 286   |     | 512 | 610 |     | 2   |     | 54.5 |
| 500 | 670   | 156 | 5   | 2   | 86   | 860  | 500  | 660  | 719/500A/DT      |       |       | 208 | 519 | 653 |     | 4   |     | 154  |
| 530 | 615   | 70  | 3   | 1.1 | 210  | 520  | 1000 | 1400 | 718/530X3AC/P5DB | 296.7 |       |     | 544 |     | 608 | 2.5 | 1   | 37.1 |
| 530 | 650   | 112 | 3   |     | 620  | 1810 | 510  | 680  | 718/530A/DF      |       | 285   |     | 544 | 638 |     | 2.5 |     | 77   |
| 530 | 650   | 112 | 3   | 1.1 | 645  | 1850 | 910  | 1250 | 718/530AC/DB     | 331   |       |     | 544 |     | 638 | 2.5 | 1   | 77   |
| 530 | 710   | 164 | 5   | 2   | 1030 | 2530 | 500  | 700  | 719/530A/DB      | 440   |       |     | 552 |     | 700 | 4   | 2   | 189  |
| 530 | 710   | 164 | 5   | 2   | 845  | 2210 | 600  | 800  | 719/530B/DT      |       |       | 186 | 558 | 692 | 701 | 4   | 2   | 191  |
| 560 | 680   | 112 | 3   | 1.1 | 635  | 1850 | 470  | 620  | 718/560A/DT      |       |       | 207 | 575 | 667 |     | 2.5 |     | 95   |
| 560 | 750   | 170 | 5   | 2   |      |      |      |      | 719/560A/DB      | 463   |       |     | 612 |     | 697 |     |     | 218  |
| 600 | 730   | 120 | 3   | 3   | 740  | 2330 | 790  | 1100 | 718/600AC/DB     | 370   |       |     | 614 |     | 718 | 2.5 | 2.5 | 94.5 |

|      |      |     |     |     |      |      |     |     |                    |     |       |     |      |      |      |   |     |     |
|------|------|-----|-----|-----|------|------|-----|-----|--------------------|-----|-------|-----|------|------|------|---|-----|-----|
| 670  | 820  | 138 | 4   | 1.5 | 830  | 2510 | 380 | 500 | 718/670A/DT        |     |       | 250 | 686  | 806  |      | 3 |     | 156 |
| 710  | 870  | 148 | 4   |     | 955  | 3240 | 370 | 480 | 718/710AC/DF       |     | 294   |     | 726  | 856  |      | 3 |     | 192 |
| 710  | 950  | 212 | 5   | 2   | 1370 | 4500 | 640 | 850 | 719/710AC/DB       | 494 |       |     | 734  |      | 926  | 5 | 2.5 | 389 |
| 750  | 920  | 156 | 5   |     | 985  | 3450 | 310 | 420 | 718/750A/DF        |     | 404   |     | 768  | 902  |      | 4 |     | 220 |
| 1000 | 1420 | 260 | 7.5 | 2   |      |      |     |     | 70/1000X2AF3/P69DF |     |       |     |      |      |      |   |     |     |
| 1180 | 1420 | 212 | 6   | 4   | 1410 | 7300 | 180 | 270 | 718/1180ACM/DB     | 495 |       |     | 1250 |      | 1400 | 5 |     | 669 |
| 1180 | 1420 | 212 | 6   | 4   | 1410 | 7300 | 180 | 270 | 718/1180ACF3/DF    |     | 500   |     | 1235 | 1365 |      |   |     | 657 |
| 1320 | 1600 | 244 | 6   |     | 1930 | 8230 | 200 | 300 | 718/1320ACF3/DF    |     | 558.9 |     | 1348 | 1572 |      | 5 |     | 987 |